



# Cyble 5B

Multi-connectivity RF Module for IoT LoRaWAN and Sigfox data collection.

The Cyble 5B is a unique solution helping utilities engage in the ongoing digitalization of their water and gas distribution networks. Designed to transform mechanical meters into communication data points, Cyble 5B enables IoT data collection using LoRaWAN or Sigfox networks allowing for improved billing efficiency, customer service and more.

### **FEATURES AND BENEFITS**

## Designed for the field.

Easy to connect through a clip-on design with no wiring or wall mounting required, Cyble 5B is compact with an integrated antenna allowing for use in a wide range of existing meter box installations.

# Robust under severe conditions.

Conceived to resist water, contaminants, corrosion, rough handling, and temperature cycling for a preserved reliability over time. Adaptable to water and gas environment, Cyble 5B is also IP68.


# Fine-tuned by decades of industry expertise.

Cyble's patented technology ensures a perfect correlation between the mechanical meter register and the digital index for sustained accuracy. Compatible with Itron's Cyble-ready range of mechanical water meters & c-Series gas meters.

Interoperable with open standards (LoRaWAN/Sigfox)

#### INTEROPERABLE WITH OPEN-STANDARDS.

With out-of-the-box connectivity options, Cyble 5B modules operate with open standard IoT network protocols (LoRaWAN /Sigfox).







# IoT Networks (LoRaWAN™ or Sigfox®)

Connect smart water meters to networks dedicated to the Internet of Things (IoT) using LoRaWAN™ or Sigfox® technologies.



# Wireless read and configuration

Wirelessly read and configure Cyble 5B on the spot using Itron's RF Master 5.

#### **EXTENDED DATA SET FOR WATER AND GAS UTILITIES**

Supporting digital transformation, Cyble 5B helps utilities engage in their key operational challenges by transforming data collection through IoT. Delivering timely, relevant, and extensive sets of data in water and gas, Cyble 5B allows for a better understanding of resource use and improved customer relationships.



# Billing Index & Consumption Data Logging

Daily billing and custom billing functions along with precise consumption data logging up to 15min resolution



#### Flow Distribution

Precise monitoring of the distribution flow



#### **Backflow / Reverse Flow**

Detection and quantification of backflow to help assess water quality and/or sanitary risk

#### **Alerts**

Alarms are generated when important events are detected, such as:



- » Leakage at customer side
- » Tamper, blocked meter, reversed meter
- » Backflow, peak flow
- » Oversize/undersize
- » Temperature high, temperature low

## **Diagnostics**

Good system performance is ensured via monitoring of:



- » Battery level
- » Configuration settings
- » Clock synchronization in LoRaWAN

# **Technical Specifications**

Radio Frequency Features	
Protocol	LoRaWAN™AS923-2, Sigfox® RC4, proprietary Mobile AMR
Modulation	CSS (LoRa®), BPSK (Sigfox®), FSK
Frequency carrier	918-923 MHz
Radiated power	≤ 25 mW (LoRa®, Sigfox® RC4), ≤ 3 mW (Mobile AMR)
Battery lifetime	Up to 11 years*
Functional Specifications	
Power source	Lithium batteries
Protection	IP 68
Relative humidity	0 to 100% - submersible
Operating temperature**	-10°C / +55C***
Accidental temperature	-20°C / +70°C





Aquadis+ equipped with the Cyble 5B module

#### **Compliance**

- » IP68 certified according to EN 60529
- » SDDPI
- » QCVN 122:2022
- » QCVN 18:2022
- » EN 300 220

### **Connectivity Certifications**

- » LoRaWAN R1.0.4
- » Sigfox V2.6.0







Join us in creating a more resourceful world. To learn more visit itron.com

While Itron strives to make the content of its marketing materials as timely and accurate as possible, Itron makes no claims, promises. or guarantees about the accuracy, completeness, or adequacy of, and expressly disclaims liability for errors and omissions in, such materials. No warranty of any kind, implied, expressed, or statutory, including but not limited to the warranties of non-infringement of third party rights, title, merchantability, and fitness for a particular purpose, is given with respect to the content of these marketing materials. © Copyright 2023 Itron. All rights reserved. SYS-0074.1-EN-IoT-03.23

# **ITRON WATER METERING**

9, rue Ampère 71031 Mâcon cedex France

**Phone:** +33 3 85 29 39 00 +33 3 85 29 38 58 Fax:

<sup>\*\*\*\*</sup>Under normal applications with the specified reference operating conditions.

\*\*\*\*\*Operation: +5°C to +35°C / Storage: +5°C to +35°C / Transport: Min -20°C (<24 hours continuous), Max. +70°C (<24 hours continuous), /Min. operational temperature: -10°C (<15 days/years)/Max operational temperature: +55°C (<15 days/years).